

Claims

1. A method of screening for therapeutic agents useful in the treatment of a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma in a mammal comprising the steps of
  - i) contacting a test compound with a EDG6 polypeptide,
  - ii) detect binding of said test compound to said EDG6 polypeptide.
2. A method of screening for therapeutic agents useful in the treatment of a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma in a mammal comprising the steps of
  - i) determining the activity of a EDG6 polypeptide at a certain concentration of a test compound or in the absence of said test compound,
  - ii) determining the activity of said polypeptide at a different concentration of said test compound.
3. A method of screening for therapeutic agents useful in the treatment of a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological

disorders, thrombocytopenia and myeloma in a mammal comprising the steps of

- 5           i)       determining the activity of a EDG6 polypeptide at a certain concentration of a test compound,
- ii)       determining the activity of a EDG6 polypeptide at the presence of a compound known to be a regulator of a EDG6 polypeptide.

10       4.       The method of any of claims 1 to 3, wherein the step of contacting is in or at the surface of a cell.

5.       The method of any of claims 1 to 3, wherein the cell is in vitro.

15       6.       The method of any of claims 1 to 3, wherein the step of contacting is in a cell-free system.

7.       The method of any of claims 1 to 3, wherein the polypeptide is coupled to a detectable label.

20

8.       The method of any of claims 1 to 3, wherein the compound is coupled to a detectable label.

25       9.       The method of any of claims 1 to 3, wherein the test compound displaces a ligand which is first bound to the polypeptide.

10.       The method of any of claims 1 to 3, wherein the polypeptide is attached to a solid support.

30       11.       The method of any of claims 1 to 3, wherein the compound is attached to a solid support.

12. A method of screening for therapeutic agents useful in the treatment of a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma in a mammal comprising the steps of
- 5
- i) contacting a test compound with a EDG6 polynucleotide,
- 10
- ii) detect binding of said test compound to said EDG6 polynucleotide.
13. The method of claim 12 wherein the nucleic acid molecule is RNA.
- 15
14. The method of claim 12 wherein the contacting step is in or at the surface of a cell.
15. The method of claim 12 wherein the contacting step is in a cell-free system.
- 20
16. The method of claim 12 wherein polynucleotide is coupled to a detectable label.
17. The method of claim 12 wherein the test compound is coupled to a detectable label.
- 25
18. A method of diagnosing a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma in a mammal comprising the steps of
- 30

- i) determining the amount of a EDG6 polynucleotide in a sample taken from said mammal,
- ii) determining the amount of EDG6 polynucleotide in healthy and/or diseased mammals.
- 5
19. A pharmaceutical composition for the treatment of a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma in a mammal comprising a therapeutic agent which binds to a EDG6 polypeptide.
- 10
20. A pharmaceutical composition for the treatment of a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma in a mammal comprising a therapeutic agent which regulates the activity of a EDG6 polypeptide.
- 15
21. A pharmaceutical composition for the treatment of a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma in a mammal comprising a therapeutic agent which regulates the activity of a EDG6 polypeptide, wherein said therapeutic agent is
- 20
- i) a small molecule,
- ii) an RNA molecule,
- iii) an antisense oligonucleotide,
- iv) a polypeptide,
- 25
- 30

- v) an antibody, or
- vi) a ribozyme.

- 5 22. A pharmaceutical composition for the treatment of a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma in a mammal comprising a EDG6 polynucleotide.
- 10 23. A pharmaceutical composition for the treatment of a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma in a mammal comprising a EDG6 polypeptide.
- 15 24. Use of regulators of a EDG6 for the preparation of a pharmaceutical composition for the treatment of a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma in a mammal.
- 20 25. Method for the preparation of a pharmaceutical composition useful for the treatment of a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma in a mammal comprising the steps of
- 25 26. i) identifying a regulator of EDG6,
- 30

- 5           ii)     determining whether said regulator ameliorates the symptoms of a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma in a mammal; and
- iii)     combining of said regulator with an acceptable pharmaceutical carrier.
- 10       26.     Use of a regulator of EDG6 for the regulation of EDG6 activity in a mammal having a disease comprised in a group of diseases consisting of cardiovascular disorders, gastrointestinal and liver diseases, inflammatory diseases, hematological disorders, respiratory diseases, neurological disorders, urological disorders, thrombocytopenia and myeloma.